

INDEX

- Acetylcholine, effect of injection of, into the brachial artery of normal subjects and patients with myasthenia gravis, 237.
- Aetiology, diagnosis, and treatment of prolapsed intervertebral disk, with a review of 300 cases of sciatica, 157; aetiology of sciatic pain, 159; symptoms of disk protrusion, 160; scoliosis, 162; mechanism of the symptoms and signs of disk protrusion, 165; diagnosis from fibrositis, 169; treatment and prognosis of prolapsed intervertebral disk, with a note upon the natural history of sciatica, 170.
- Anaemia, haemolytic, with paroxysmal haemoglobinuria, 258.
- Anaemias, cryptogenic acquired haemolytic, 245; acquired haemolytic spherocytic jaundice, 257; haemolytic anaemia with paroxysmal haemoglobinuria, 258.
- Ascites in chronic disease of the liver, 263.
- Body fluids, mepacrine estimations in, 62.
- Brachial artery, effect of injection of acetylcholine into, of normal subjects and patients with myasthenia gravis, 237.
- Chemotherapeutic action of mepacrine in falciparum malaria, 63.
- Chloride metabolism and oedema, 14.
- Cryptogenic acquired haemolytic anaemias, 245; acquired haemolytic spherocytic jaundice, 257; haemolytic anaemia with paroxysmal haemoglobinuria, 258.
- Disk, intervertebral, prolapsed, aetiology, diagnosis, and treatment of, with a review of 300 cases of sciatica, 157; aetiology of sciatic pain, 159; symptoms of disk protrusion, 160; scoliosis, 162; mechanism of the symptoms and signs of disk protrusion, 165; diagnosis from fibrositis, 169; treatment and prognosis of prolapsed intervertebral disk, with a note upon the natural history of sciatica, 170.
- Disk protrusion, symptoms of, 160; mechanism of the symptoms of, 165.
- Effect of injection of acetylcholine into the brachial artery of normal subjects and patients with myasthenia gravis, 237.
- Exercise, effect of, on oedema, 8.
- Extracellular fluid and oedema, 12.
- Fainting and flying, 181; classification, 182; cases regarded as primarily neurogenic, 185; cases regarded as due to alteration in the quantity or quality of the blood-supply to the brain, 191; cases regarded as primarily emotional in origin, 199; cases of doubtful origin, 203.
- Falciparum malaria, mepacrine and, 61; mepacrine estimations in body fluids, 62; chemotherapeutic action of mepacrine in, 63; mepacrine toxicity, 75.
- Fanconi syndrome, studies on the mechanism of, 275; heredity, 282.
- Fat absorption in tropical sprue, 99; fat absorption in untreated sprue, 101; nicotinic acid and riboflavine, 102; liver extract, 103; yeast extract, 105.
- Fibrositis, diagnosis from, 169.
- Fluids, body, mepacrine estimations in, 62.
- Flying, fainting and, 181; classification, 182; cases regarded as primarily neurogenic, 185; cases regarded as due to alteration in the quantity or quality of the blood-supply to the brain, 191; cases regarded as primarily emotional in origin, 199; cases of doubtful origin, 203.
- Haemoglobinuria, paroxysmal, with haemolytic anaemia, 258.
- Hepatitis, infective, severe, outbreak of, in Burma, 211.
- Heredity in hypertension, 111; discussion of heredity, 117; classification of hypertension, 118; and the Fanconi syndrome, 282.

- Hunger oedema, 1; plasma-albumen levels, 3; plasma-volume, 4; effect of rest on oedema, 7; effect of exercise on oedema, 8; plasma-proteins in oedema, 9; extracellular fluid and oedema, 12; urinary changes in oedema, 13; chloride metabolism and oedema, 14.
- Hypertension, heredity in, 111; discussion of heredity, 117; classification of hypertension, 118.
- and unilateral kidney disease, 143.
- Infective hepatitis, severe, outbreak of, in Burma, 211.
- Intervertebral disk, prolapsed, aetiology, diagnosis, and treatment of, with a review of 300 cases of sciatica, 157; aetiology of sciatic pain, 159; symptoms of disk protrusion, 160; scoliosis, 162; mechanism of the symptoms and signs of disk protrusion, 165; diagnosis from fibrositis, 169; treatment and prognosis of prolapsed intervertebral disk, with a note upon the natural history of sciatica, 170.
- Jaundice, acquired haemolytic spherocytic, 257.
- , juvenile, intermittent, chronic, review of, 83; history, 83; material, 84; symptoms, 85; negative findings, 87; incidence, 88; course and prognosis, 90; heredity, 92; aetiology, 93; pathogenesis, 94; diagnosis, 95; treatment, 96; nomenclature, 96.
- Kidney disease, unilateral, hypertension and, 143.
- Liver, chronic disease of, ascites in, 263.
- Liver extract, 103.
- Looser's nodes (Milkman's syndrome), osteomalacia with, due to a raised resistance to vitamin D acquired about the age of 15 years, 33.
- Malaria, falciparum, mepacrine and, 61; mepacrine estimations in body fluids, 62; chemotherapeutic action of mepacrine in, 63; mepacrine toxicity, 75.
- Mepacrine and falciparum malaria, 61; mepacrine estimations in body fluids, 62; chemotherapeutic action of mepacrine in falciparum malaria, 63; mepacrine toxicity, 75.
- Metabolism, chloride, and oedema, 14.
- Milkman's syndrome (Looser's nodes), osteomalacia with, due to a raised resistance to vitamin D acquired about the age of 15 years, 33.
- Myasthenia gravis, effect of injection of acetylcholine into the brachial artery of normal subjects and patients with, 237.
- Nephritis, oedematous syndrome of, with special reference to prognosis, 21.
- Nicotinic acid and riboflavine, 102.
- Oedema in an internment camp, 47.
- , hunger, 1; plasma-albumen levels, 3; plasma volume, 4; effect of rest, 7; effect of exercise, 8; plasma-proteins in, 9; extracellular fluid and, 12; urinary changes in, 13; chloride metabolism and, 14.
- Oedematous syndrome of nephritis with special reference to prognosis, 21.
- Osteomalacia with Looser's nodes (Milkman's syndrome) due to a raised resistance to vitamin D acquired about the age of 15 years, 33.
- Outbreak of severe infective hepatitis in Burma, 211.
- Plasma-albumen levels in hunger oedema, 3.
- Plasma-proteins in oedema, 9.
- Plasma-volume in hunger oedema, 4.
- Proceedings of the Association of Physicians of Great Britain and Ireland, 1947: Forty-first Annual General Meeting, 305.
- Rest, effect of, on oedema, 7.
- Review of chronic intermittent juvenile jaundice, 83; history, 83; material, 84; symptoms, 85; negative findings, 87; incidence, 88; course and prognosis, 90; heredity, 92; aetiology, 93; pathogenesis, 94; diagnosis, 95; treatment, 96; nomenclature, 96.
- Riboflavine, nicotinic acid and, 102.
- Sciatica, aetiology, diagnosis, and treatment of prolapsed intervertebral disk, with a review of 300 cases of, 157; aetiology of sciatic pain, 159;

- symptoms of disk protrusion, 160;
scoliosis, 162; mechanism of the
symptoms and signs of disk protru-
sion, 165; diagnosis from fibrositis,
169; treatment and prognosis of
prolapsed intervertebral disk, with
a note upon the natural history of
sciatica, 170.
- Scoliosis, 162.
- Significance of the van den Bergh re-
action, 135; prompt, biphasic, and
delayed reactions and their clinical
significance, 136; the direct-
indirect quotient (D.I.Q.), 136.
- Snake-bite by *Echis carinata*, 291.
- Sprue, tropical, fat absorption in, 99;
fat absorption in untreated sprue,
101; nicotinic acid and riboflavine,
102; liver extract, 103; yeast ex-
tract, 105.
- Studies on the mechanism of the Fan-
coni syndrome, 275; heredity, 282.
- Syndrome, Fanconi, studies on the
mechanism of, 275; heredity, 282.
- , Milkman's (Looser's nodes), osteo-
malacia with, due to a raised resis-
tance to vitamin D acquired about
the age of 15 years, 33.
- , oedematous, of nephritis with special
reference to prognosis, 21.
- Urinary changes in oedema, 13.
- Van den Bergh reaction, significance of,
135; prompt, biphasic, and delayed
reactions and their clinical signifi-
cance, 136; the direct-indirect
quotient (D.I.Q.), 136.
- Vitamin D, osteomalacia with Looser's
nodes (Milkman's syndrome) due
to a raised resistance to, acquired
about the age of 15 years, 33.
- Yeast extract, 105.